Listing of Claims:

Claims 1-61 (canceled)

62. (currently amended) A process for loading an oligosaccharide into an erythrocytic cell comprising:

providing an erythrocytic cell having cholesterol;

removing at least a portion of the cholesterol from the erythrocytic cell to produce an erythrocytic cell having a phase transition when the produced erythrocytic cell has a temperature within a temperature range selected from a group of temperature ranges comprising consisting of a low phase-transition temperature range, an intermediate phase-transition temperature range, and a high phase-transition temperature range; and

disposing the produced erythrocytic cell in an oligosaccharide solution for loading an oligosaccharide into the erythrocytic cell *in vitro*.

- 63. (previously presented) The process of Claim 62 wherein said oligosaccharide solution includes said temperature range.
- 64. (currently amended) The process of Claim 62 additionally comprising increasing the loading efficiency of the oligosaccharide into the erythrocytic cell by heating the oligosaccharide solution.

- 65. (previously presented) The process of Claim 62 wherein said low phase-transition temperature range ranges from a temperature greater than about 2° C to a temperature equal to or less than about 20° C.
- 66. (previously presented) The process of Claim 62 wherein said intermediate phase-transition temperature range ranges from a temperature greater than about 20° C to a temperature equal to or less than about 30° C.
- 67. (previously presented) The process of Claim 62 wherein said high phase-transition temperature range ranges from a temperature greater than about 30° C to a temperature equal to or less than about 50° C.
- 68. (previously presented) The process of Claim 67 wherein said high phase transition temperature range ranges from about 30° C to about 40° C.
- 69. (previously presented) The process of Claim 67 wherein said high phase transition temperature range ranges from about 32° C to about 38° C.
- 70. (previously presented) The process of Claim 62 wherein said oligosaccharide comprises trehalose.
- 71. (previously presented) The process of Claim 62 wherein said loading of the oligosaccharide comprises loading by fluid phase endocytosis.
- 72. (previously presented) The process of Claim 62 wherein said removing at least a portion of the cholesterol